

Other SMART2D Publications

1. Neelam, K., Aung, K. C. Y., Ang, K., Tavintharan, S., Sum, C. F., & Lim, S. C. (2023). Association of Triglyceride Glucose Index with Prevalence and Incidence of Diabetic Retinopathy in a Singaporean Population. *Clinical ophthalmology*, 17, 445–454. <https://doi.org/10.2147/OPHTH.S382336>
2. Moh, M. C., Cheng, A., Tan, C. H., Low, S., Tan, B. C., Ng, D., Subramaniam, T., Sum, C. F., & Lim, S. C. (2023). Association of Baseline Triglyceride-Glucose Index with Poor Glycemic Control and Diabetes Remission After Metabolic Surgery. *Obesity surgery*, 33(1), 164–172. <https://doi.org/10.1007/s11695-022-06342-z>
3. Low, S., Wang, J., Moh, A., Ang, S. F., Ang, K., Shao, Y. M., Ching, J., Wee, H. N., Lee, L. S., Kovalik, J. P., Tang, W. E., Lim, Z., Subramaniam, T., Sum, C. F., & Lim, S. C. (2022). Amino acid profile of skeletal muscle loss in type 2 diabetes: Results from a 7-year longitudinal study in asians. *Diabetes research and clinical practice*, 186, 109803. <https://doi.org/10.1016/j.diabres.2022.109803>
4. Ang, S. F., Low, S. K. M., Ng, T. P., Ang, K., Yap, P. L. K., Cheong, C. Y., Lim, Z., Tang, W. E., Moh, A. M. C., Subramaniam, T., Sum, C. F., & Lim, S. C. (2022). Association of early-onset Type 2 diabetes with cognitive impairment is partially mediated by increased pulse pressure. *Journal of diabetes and its complications*, 36(7), 108209. <https://doi.org/10.1016/j.jdiacomp.2022.108209>
5. Gurung, R. L., Yiamunaa, M., Liu, J. J., Dorajoo, R., Wang, J., Wang, L., Liu, S., Chan, C., Ang, K., Shao, Y. M., Subramaniam, T., Tang, W. E., Fang Sum, C., Liu, J. J., & Lim, S. C. (2022). Genetic Risk Score for Plasma Uric Acid Levels Is Associated With Early Rapid Kidney Function Decline in Type 2 Diabetes. *The Journal of clinical endocrinology and metabolism*, 107(7), e2792–e2800. <https://doi.org/10.1210/clinem/dgac192>
6. Ang, S. F., Low, S., Ng, T. P., Tan, C. S. H., Ang, K., Lim, Z., Tang, W. E., Subramaniam, T., Sum, C. F., & Lim, S. C. (2022). Ethnic-Specific Type 2 Diabetes Risk Factor PAX4 R192H Is Associated with Attention-Specific Cognitive Impairment in Chinese with Type 2 Diabetes. *Journal of Alzheimer's disease*, 88(1), 241–249. <https://doi.org/10.3233/JAD-220036>
7. Low, S., Goh, K. S., Ng, T. P., Moh, A., Ang, S. F., Khoo, J., Ang, K., Yap, P., Cheong, C. Y., Tang, W. E., Lim, Z., Subramaniam, T., Sum, C. F., & Lim, S. C. (2022). Decline in skeletal muscle mass is associated with cognitive decline in type 2 diabetes mellitus. *Journal of diabetes and its complications*, 36(9), 108258. <https://doi.org/10.1016/j.jdiacomp.2022.108258>
8. Low, S., Pek, S., Moh, A., Ang, K., Khoo, J., Shao, Y. M., Tang, W. E., Lim, Z., Subramaniam, T., Sum, C. F., & Lim, S. C. (2022). Triglyceride-glucose index is prospectively associated with chronic kidney disease progression in Type 2 diabetes - mediation by pigment epithelium-derived factor. *Diabetes & vascular disease research*, 19(4), 14791641221113784. <https://doi.org/10.1177/14791641221113784>
9. Low, S., Goh, K. S., Ng, T. P., Moh, A., Ang, S. F., Wang, J., Ang, K., Tang, W. E., Lim, Z., Subramaniam, T., Sum, C. F., & Lim, S. C. (2022). Association Between Use of Sodium-Glucose Co-Transporter-2 (SGLT2) Inhibitors and Cognitive Function in a Longitudinal Study of Patients with Type 2 Diabetes. *Journal of Alzheimer's disease*, 87(2), 635–642. <https://doi.org/10.3233/JAD-215678>
10. Low, S., Ng, T. P., Lim, C. L., Ang, S. F., Moh, A., Wang, J., Yap, P., Cheong, C. Y., Goh, K. S., Ang, K., Tang, W. E., Lim, Z., Subramaniam, T., Sum, C. F., & Lim, S. C. (2021). Higher ratio of extracellular water to total body water was associated with reduced cognitive function in type 2 diabetes. *Journal of diabetes*, 13(3), 222–231. <https://doi.org/10.1111/1753-0407.13104>
11. Low, S., Moh, A., Ang, S. F., Lim, C. L., Liu, Y. L., Wang, J., Ang, K., Tang, W. E., Kwan, P. Y., Lim, Z., Subramaniam, T., Sum, C. F., & Lim, S. C. (2021). The role of pulse pressure in navigating the paradigm of chronic kidney disease progression in type 2 diabetes mellitus. *Journal of nephrology*, 34(5), 1429–1444. <https://doi.org/10.1007/s40620-020-00954-3>
12. Moh, M. C., Low, S., Ng, T. P., Ang, S. F., Ang, K., Sum, C. F., Subramaniam, T., & Lim, S. C. (2021). Association between depressive symptoms and pulse wave velocity is mediated by increased adiposity in older adults with type 2 diabetes. *Journal of psychiatry & neuroscience*, 46(1), E176–E183. <https://doi.org/10.1503/jpn.200080>
13. Liu, J. J., Gurung, R. L., Liu, S., Yiamunaa, M., Lee, J., Ang, K., Tavintharan, S., Tang, W. E., Sum, C. F., & Lim, S. C. (2021). Associations of young onset age and genetic risk of beta cell dysfunction with glycaemic progression in individuals with type 2 diabetes. *Diabetes & metabolism*, 47(6), 101238. <https://doi.org/10.1016/j.diabet.2021.101238>

14. Liu, A. Y. L., Pek, S., Low, S., Moh, A., Ang, K., Tang, W. E., Lim, Z., Subramaniam, T., Sum, C. F., & Lim, S. C. (2021). Association of overhydration and serum pigment epithelium-derived factor with CKD progression in diabetic kidney disease: A prospective cohort study. *Diabetes research and clinical practice*, 174, 108754. <https://doi.org/10.1016/j.diabres.2021.108754>
15. Low, S., Pek, S., Moh, A., Khin, C. Y. A., Lim, C. L., Ang, S. F., Wang, J., Ang, K., Tang, W. E., Lim, Z., Subramaniam, T., Sum, C. F., & Lim, S. C. (2021). Low muscle mass is associated with progression of chronic kidney disease and albuminuria - An 8-year longitudinal study in Asians with Type 2 Diabetes. *Diabetes research and clinical practice*, 174, 108777. <https://doi.org/10.1016/j.diabres.2021.108777>
16. Gurung, R. L., Dorajoo, R., M, Y., Wang, L., Liu, S., Liu, J. J., Shao, Y. M., Chen, Y., Sim, X., Ang, K., Subramaniam, T., Tang, W. E., Sum, C. F., Liu, J. J., & Lim, S. C. (2021). Association of leukocyte telomere length with chronic kidney disease in East Asians with type 2 diabetes: a Mendelian randomization study. *Clinical kidney journal*, 14(11), 2371–2376. <https://doi.org/10.1093/ckj/sfab067>
17. Low, S., Pek, S., Liu, Y. L., Moh, A., Ang, K., Tang, W. E., Lim, Z., Subramaniam, T., Sum, C. F., Lim, C. L., Ali, Y., & Lim, S. C. (2021). Higher extracellular water to total body water ratio was associated with chronic kidney disease progression in type 2 diabetes. *Journal of diabetes and its complications*, 35(7), 107930. <https://doi.org/10.1016/j.jdiacomp.2021.107930>
18. Gurung, R. L., Dorajoo, R., M, Y., Liu, J. J., Pek, S. L. T., Wang, J., Wang, L., Sim, X., Liu, S., Shao, Y. M., Ang, K., Subramaniam, T., Tang, W. E., Sum, C. F., Liu, J. J., & Lim, S. C. (2021). Association of Genetic Variants for Plasma LRG1 With Rapid Decline in Kidney Function in Patients With Type 2 Diabetes. *The Journal of clinical endocrinology and metabolism*, 106(8), 2384–2394. <https://doi.org/10.1210/clinem/dgab268>
19. Liu, J. J., Liu, S., Wang, J., Lee, J., Tang, J. I., Gurung, R. L., Ang, K., Shao, Y. M., Tavintharan, S., Tang, W. E., Sum, C. F., & Lim, S. C. (2022). Risk of Incident Heart Failure in Individuals With Early-Onset Type 2 Diabetes. *The Journal of clinical endocrinology and metabolism*, 107(1), e178–e187. <https://doi.org/10.1210/clinem/dgab620>
20. Liu, J. J., Liu, S., Gurung, R. L., Ang, K., Tang, W. E., Sum, C. F., Tavintharan, S., & Lim, S. C. (2020). Risk of progressive chronic kidney disease in individuals with early-onset type 2 diabetes: a prospective cohort study. *Nephrology dialysis transplantation*, 35(1), 115–121. <https://doi.org/10.1093/ndt/gfy211>
21. Moh, M. C., Low, S., Ng, T. P., Wang, J., Ang, S. F., Tan, C., Ang, K., Tavintharan, S., Sum, C. F., Kwan, P. Y., Lee, S. B. M., Tang, W. E., & Lim, S. C. (2020). Association of traditional and novel measures of central obesity with cognitive performance in older multi-ethnic Asians with type 2 diabetes. *Clinical obesity*, 10(2), e12352. <https://doi.org/10.1111/cob.12352>
22. Moh, A. M. C., Pek, S. L. T., Liu, J., Wang, J., Subramaniam, T., Ang, K., Sum, C. F., Kwan, P. Y., Lee, S. B. M., Tang, W. E., & Lim, S. C. (2020). Plasma osteoprotegerin as a biomarker of poor glycaemic control that predicts progression of albuminuria in type 2 diabetes mellitus: A 3-year longitudinal cohort study. *Diabetes research and clinical practice*, 161, 107992. <https://doi.org/10.1016/j.diabres.2019.107992>
23. Moh, M. C., Low, S., Ng, T. P., Ang, K., Subramaniam, T., Sum, C. F., Kwan, P. Y., Lee, S. B. M., Tang, W. E., & Lim, S. C. (2020). Role of endothelium-independent vasodilation in the relationship between visceral adiposity and reduced cognitive performance in older adults with type 2 diabetes. *Microcirculation*, 27(4), e12609. <https://doi.org/10.1111/micc.12609>
24. Low, S., Ng, T. P., Lim, C. L., Moh, A., Ang, S. F., Wang, J., Goh, K. S., Ang, K., Tang, W. E., Kwan, P. Y., Subramaniam, T., Sum, C. F., & Lim, S. C. (2020). Association between Lower Extremity Skeletal Muscle Mass and Impaired Cognitive Function in Type 2 Diabetes. *Scientific reports*, 10(1), 2956. <https://doi.org/10.1038/s41598-020-59914-3>
25. Pek, S. L. T., Lim, S. C., Ang, K., Kwan, P. Y., Tang, W. E., Sum, C. F., & Tavintharan, S. (2020). Endothelin-1 predicts incident diabetic peripheral neuropathy in Type 2 Diabetes: a cohort study. *European journal of endocrinology*, 182(4), 429–438. <https://doi.org/10.1530/EJE-19-0523>
26. Low, S., Ng, T. P., Lim, C. L., Wang, J., Moh, A., Ang, S. F., Goh, K. S., Ang, K., Tang, W. E., Kwan, P. Y., Lim, Z., Subramaniam, T., Sum, C. F., & Lim, S. C. (2020). Association between vascular measures and cognitive function in type 2 diabetes. *Journal of diabetes and its complications*, 34(12), 107724. <https://doi.org/10.1016/j.jdiacomp.2020.107724>
27. Liu, J. J., Liu, S., Lee, J., Gurung, R. L., Yiamunaa, M., Ang, K., Shao, Y. M., Choo, R. W. M., Tavintharan, S., Tang, W. E., Sum, C. F., & Lim, S. C. (2020). Aortic pulse wave velocity, central pulse pressure, augmentation index and chronic kidney disease progression in individuals with

type 2 diabetes: a 3- year prospective study. *BMC nephrology*, 21(1), 359.

<https://doi.org/10.1186/s12882-020-02024-z>

28. Moh, A., Seah, N., Low, S., Ang, K., Sum, C. F., Subramaniam, T., Kwan, P. Y., Lee, S., Tang, W. E., & Lim, S. C. (2020). Zinc- α 2-glycoprotein is associated with non-albuminuric chronic kidney disease progression in type 2 diabetes: a retrospective study with 4-year follow-up. *Diabetic medicine*, 37(11), 1919–1926. <https://doi.org/10.1111/dme.14313>
29. Lim, G. J., Liu, Y. L., Low, S., Ang, K., Tavintharan, S., Sum, C. F., & Lim, S. C. (2020). Medical Costs Associated with Severity of Chronic Kidney Disease in Type 2 Diabetes Mellitus in Singapore. *Annals of the Academy of Medicine, Singapore*, 49(10), 731–741.
30. Moh, A. M. C., Wang, J., Tan, C., Ang, S. F., Ang, K., Subramaniam, T., Sum, C. F., Kwan, P. Y., Lee, S. B. M., Tang, W. E., & Lim, S. C. (2019). Association between gain in adiposity and diabetic kidney disease worsening in type 2 diabetes is mediated by deteriorating glycaemic control: A 3-year follow-up analysis. *Diabetes research and clinical practice*, 157, 107812. <https://doi.org/10.1016/j.diabres.2019.107812>
31. Liu, S., Liu, J. J., Gurung, R. L., Chan, C., Yeo, D., Ang, K., Tang, W. E., Tavintharan, S., Sum, C. F., & Lim, S. C. (2019). Clinical Determinants of Diabetes Progression in Multiethnic Asians with Type 2 Diabetes - A 3-Year Prospective Cohort Study. *Annals of the Academy of Medicine, Singapore*, 48(7), 217–223.
32. Gurung, R. L., M, Y., Liu, S., Liu, J. J., Chan, S. M., Moh, M. C., Ang, K., Tang, W. E., Sum, C. F., Tavintharan, S., Lim, S. C., & SMART2D Study (2019). Ethnic disparities in relationships of obesity indices with telomere length in Asians with type 2 diabetes. *Journal of diabetes*, 11(5), 386–393. <https://doi.org/10.1111/1753-0407.12864>
33. Ang, S. F., Tan, C. S. H., Wang, L., Dorajoo, R., Fong, J. C. W., Kon, W. Y. C., Lian, J. X., Ang, K., Rahim, J. B., Jeevith, B., Lee, S. B. M., Tang, W. E., Subramaniam, T., Sum, C. F., Liu, J. J., & Lim, S. C. (2019). PAX4 R192H is associated with younger onset of Type 2 diabetes in East Asians in Singapore. *Journal of diabetes and its complications*, 33(1), 53–58. <https://doi.org/10.1016/j.jdiacomp.2018.10.002>
34. Moh, M. C., Sum, C. F., Tavintharan, S., Ang, K., Kwan, P. Y., Lee, S. B. M., Tang, W. E., & Lim, S. C. (2019). Gain in adiposity over 3 years is associated with progressive renal decline in multi-ethnic South-east Asians with type 2 diabetes. *Journal of diabetes*, 11(4), 316–325. <https://doi.org/10.1111/1753-0407.12848>
35. Zhang, X., Lim, S. C., Tavintharan, S., Yeoh, L. Y., Sum, C. F., Ang, K., Yeo, D., Low, S., & Kumari, N. (2019). Association of central arterial stiffness with the presence and severity of diabetic retinopathy in Asians with type 2 diabetes. *Diabetes & vascular disease research*, 16(6), 498–505. <https://doi.org/10.1177/1479164119845904>
36. Zhang, X., Pek, S. L. T., Tavintharan, S., Sum, C. F., Lim, S. C., Ang, K., Yeo, D., Ee, T. W., Yip, C. C., & Kumari, N. (2019). Leucine-rich α 2-glycoprotein predicts proliferative diabetic retinopathy in type 2 diabetes. *Journal of diabetes and its complications*, 33(9), 651–656. <https://doi.org/10.1016/j.jdiacomp.2019.05.021>
37. Liu, J. J., Liu, S., Gurung, R. L., Chan, C., Ang, K., Tang, W. E., Tavintharan, S., Sum, C. F., & Lim, S. C. (2018). Relationship Between Fasting Plasma Glucagon Level and Renal Function-A Cross-Sectional Study in Individuals With Type 2 Diabetes. *Journal of the Endocrine Society*, 3(1), 273–283. <https://doi.org/10.1210/js.2018-00321>
38. Moh, A., Neelam, K., Zhang, X., Sum, C. F., Tavintharan, S., Ang, K., Lee, S. B. M., Tang, W. E., & Lim, S. C. (2018). Excess visceral adiposity is associated with diabetic retinopathy in a multiethnic Asian cohort with longstanding type 2 diabetes. *Endocrine research*, 43(3), 186–194. <https://doi.org/10.1080/07435800.2018.1451541>
39. Low, S., Zhang, X., Ang, K., Yeo, S. J. D., Lim, G. J., Yeoh, L. Y., Liu, Y. L., Subramaniam, T., Sum, C. F., & Lim, S. C. (2018). Discovery and validation of serum creatinine variability as novel biomarker for predicting onset of albuminuria in Type 2 diabetes mellitus. *Diabetes research and clinical practice*, 138, 8–15. <https://doi.org/10.1016/j.diabres.2017.11.003>
40. Gurung, R. L., M, Y., Liu, S., Liu, J. J., & Lim, S. C. (2017). Short Leukocyte Telomere Length Predicts Albuminuria Progression in Individuals With Type 2 Diabetes. *Kidney international reports*, 3(3), 592–601. <https://doi.org/10.1016/j.ekir.2017.12.005>
41. Zhang, X., Low, S., Ang, K., Yeoh, L. Y., Tavintharan, S., Sum, C. F., & Lim, S. C. (2018). Microvascular endothelial function is an independent predictor for albuminuria progression among Asians with type 2 diabetes-A prospective cohort study. *Microcirculation*, 25(4), e12453. <https://doi.org/10.1111/micc.12453>

42. Liu, J. J., Liu, S., Gurung, R. L., Ching, J., Kovalik, J. P., Tan, T. Y., & Lim, S. C. (2018). Urine Tricarboxylic Acid Cycle Metabolites Predict Progressive Chronic Kidney Disease in Type 2 Diabetes. *The Journal of clinical endocrinology and metabolism*, *103*(12), 4357–4364. <https://doi.org/10.1210/jc.2018-00947>
43. Low, S., Zhang, X., Wang, J., Yeoh, L. Y., Liu, Y. L., Ang, K. K. L., Tang, W. E., Kwan, P. Y., Tavintharan, S., Sum, C. F., & Lim, S. C. (2018). Long-term prospective observation suggests that glomerular hyperfiltration is associated with rapid decline in renal filtration function: A multiethnic study. *Diabetes & vascular disease research*, *15*(5), 417–423. <https://doi.org/10.1177/1479164118776465>
44. Gurung, R. L., Dorajoo, R., Liu, S., M, Y., Liu, J. J., Wang, L., Guo, L., Yu, X., Liu, J. J., & Lim, S. C. (2018). Genetic markers for urine haptoglobin is associated with decline in renal function in type 2 diabetes in East Asians. *Scientific reports*, *8*(1), 13718. <https://doi.org/10.1038/s41598-018-31990-6>
45. Zhang, X., Kumari, N., Low, S., Ang, K., Yeo, D., Yeoh, L. Y., Liu, A., Kwan, P. Y., Tang, W. E., Tavintharan, S., Sum, C. F., & Lim, S. C. (2018). The association of serum creatinine and estimated glomerular filtration rate variability with diabetic retinopathy in Asians with type 2 diabetes: A nested case-control study. *Diabetes & vascular disease research*, *15*(6), 548–558. <https://doi.org/10.1177/1479164118786969>
46. Zhang, X., Chee, W. K., Liu, S., Tavintharan, S., Sum, C. F., Lim, S. C., & Kumari, N. (2018). Association of plasma osteopontin with diabetic retinopathy in Asians with type 2 diabetes. *Molecular vision*, *24*, 165–173.
47. Pek, S. L. T., Sum, C. F., Yeoh, L. Y., Lee, S. B. M., Tang, W. E., Lim, S. C., & Tavintharan, S. (2017). Association of apolipoprotein-CIII (apoC-III), endothelium-dependent vasodilation and peripheral neuropathy in a multi-ethnic population with type 2 diabetes. *Metabolism: clinical and experimental*, *72*, 75–82. <https://doi.org/10.1016/j.metabol.2017.03.016>
48. Zhang, X., Low, S., Kumari, N., Wang, J., Ang, K., Yeo, D., Yip, C. C., Tavintharan, S., Sum, C. F., & Lim, S. C. (2017). Direct medical cost associated with diabetic retinopathy severity in type 2 diabetes in Singapore. *PLoS one*, *12*(7), e0180949. <https://doi.org/10.1371/journal.pone.0180949>
49. Moh, M. C., Sum, C. F., Tavintharan, S., Ang, K., Lee, S. B. M., Tang, W. E., & Lim, S. C. (2017). Baseline predictors of aortic stiffness progression among multi-ethnic Asians with type 2 diabetes. *Atherosclerosis*, *260*, 102–109. <https://doi.org/10.1016/j.atherosclerosis.2017.01.031>
50. Liu, J. J., Pek, S. L. T., Ang, K., Tavintharan, S., Lim, S. C., & SMART2D study (2017). Plasma Leucine-Rich α -2-Glycoprotein 1 Predicts Rapid eGFR Decline and Albuminuria Progression in Type 2 Diabetes Mellitus. *The Journal of clinical endocrinology and metabolism*, *102*(10), 3683–3691. <https://doi.org/10.1210/jc.2017-00930>
51. Lim, S. C., Dorajoo, R., Zhang, X., Wang, L., Ang, S. F., Tan, C. S. H., Yeoh, L. Y., Ng, X. W., Li, N., Su, C., Liu, S., Wong, M. D. S., Low, K. M. S., Ou, Y. A., Babitha, J., Fun, S., Zhou, S., Lee, S. B. M., Tang, W. E., Tavintharan, S., Sum, C. F., & Liu, J. J. (2017). Genetic variants in the receptor for advanced glycation end products (RAGE) gene were associated with circulating soluble RAGE level but not with renal function among Asians with type 2 diabetes: a genome-wide association study. *Nephrology Dialysis Transplantation*, *32*(10), 1697–1704. <https://doi.org/10.1093/ndt/gfw263>
52. Zhang, X., Low, S., Sum, C. F., Tavintharan, S., Yeoh, L. Y., Liu, J., Li, N., Ang, K., Lee, S. B., Tang, W. E., & Lim, S. C. (2017). Arterial stiffness is an independent predictor for albuminuria progression among Asians with type 2 diabetes-A prospective cohort study. *Journal of diabetes and its complications*, *31*(6), 933–938. <https://doi.org/10.1016/j.jdiacomp.2017.02.004>
53. Moh, M. C., Sum, C. F., Tavintharan, S., Pek, S. L. T., Yeoh, L. Y., Ng, X., Lee, S. B. M., Tang, W. E., & Lim, S. C. (2017). Association of the anti-angiogenic factor secreted protein and rich in cysteine (SPARC) with vascular complications among Chinese type 2 diabetic patients in Singapore. *Journal of diabetes and its complications*, *31*(7), 1222–1227. <https://doi.org/10.1016/j.jdiacomp.2016.03.029>
54. Zhang, X., Liu, J. J., Sum, C. F., Ying, Y. L., Tavintharan, S., Li, N., Su, C., Low, S., Lee, S. B., Tang, W. E., & Lim, S. C. (2016). Ethnic Disparity in Inter-Arm Systolic Blood Pressure Difference and its Determinants among Asians with Type 2 Diabetes: A Cross-Sectional Study. *Journal of the ASEAN Federation of Endocrine Societies*, *31*(2), 81. Retrieved from <https://asean-endocrinejournal.org/index.php/JAFES/article/view/320>
55. Zhang, X., Liu, J. J., Fang Sum, C., Ying, Y. L., Tavintharan, S., Ng, X. W., Su, C., Low, S., Lee, S. B., Tang, W. E., & Lim, S. C. (2016). Central arterial stiffness is associated with systemic

- inflammation among Asians with type 2 diabetes. *Diabetes & vascular disease research*, 13(4), 303–306. <https://doi.org/10.1177/1479164116635021>
56. Zhang, X., Liu, J. J., Sum, C. F., Ying, Y. L., Tavintharan, S., Ng, X. W., Low, S., Lee, S. B., Tang, W. E., & Lim, S. C. (2015). Ethnic disparity in central arterial stiffness and its determinants among Asians with type 2 diabetes. *Atherosclerosis*, 242(1), 22–28. <https://doi.org/10.1016/j.atherosclerosis.2015.06.019>
57. Pek, S. L., Tavintharan, S., Wang, X., Lim, S. C., Woon, K., Yeoh, L. Y., Ng, X., Liu, J., & Sum, C. F. (2015). Elevation of a novel angiogenic factor, leucine-rich- α 2-glycoprotein (LRG1), is associated with arterial stiffness, endothelial dysfunction, and peripheral arterial disease in patients with type 2 diabetes. *The Journal of clinical endocrinology and metabolism*, 100(4), 1586–1593. <https://doi.org/10.1210/jc.2014-3855>
58. Moh, M. C., Sum, C. F., Lam, B. C., Ng, X. W., Su, C., Tavintharan, S., Yeoh, L. Y., Wong, M. D., Lee, S. B., Tang, W. E., & Lim, S. C. (2015). Evaluation of body adiposity index as a predictor of aortic stiffness in multi-ethnic Asian population with type 2 diabetes. *Diabetes & vascular disease research*, 12(2), 111–118. <https://doi.org/10.1177/1479164114554609>
59. Liu, J. J., Yeoh, L. Y., Sum, C. F., Tavintharan, S., Ng, X. W., Liu, S., Lee, S. B., Tang, W. E., Lim, S. C., & SMART2D study (2015). Vascular cell adhesion molecule-1, but not intercellular adhesion molecule-1, is associated with diabetic kidney disease in Asians with type 2 diabetes. *Journal of diabetes and its complications*, 29(5), 707–712. <https://doi.org/10.1016/j.jdiacomp.2015.02.011>
60. Low, S. K., Sum, C. F., Yeoh, L. Y., Tavintharan, S., Ng, X. W., Lee, S. B., Tang, W. E., & Lim, S. C. (2015). Prevalence of Chronic Kidney Disease in Adults with Type 2 Diabetes Mellitus. *Annals of the Academy of Medicine, Singapore*, 44(5), 164–171.
61. Tavintharan, S., Pek, L. T., Liu, J. J., Ng, X. W., Yeoh, L. Y., Lim, S. C., & Sum, C. F., (2014). Osteoprotegerin is independently associated with metabolic syndrome and microvascular complications in type 2 diabetes mellitus. *Diabetes & vascular disease research*, 11(5), 359–362. <https://doi.org/10.1177/1479164114539712>
62. Liu, J. J., Sum, C. F., Tavintharan, S., Yeoh, L. Y., Ng, X. W., Moh, A. M., Lee, S., Tang, W. E., Lim, S. C., & for SMART2D Study (2014). Obesity is a determinant of arterial stiffness independent of traditional risk factors in Asians with young-onset type 2 diabetes. *Atherosclerosis*, 236(2), 286–291. <https://doi.org/10.1016/j.atherosclerosis.2014.07.017>
63. Yeoh, C. K. E., Sum, C. F., Chang, S., Low, K. M. S., Lim, S. C., Yeoh, L. Y., Ng, X. W., Tang, W. E., Lee, B. M. S., & Tavintharan, S. (2014). Low-density lipoprotein cholesterol levels in adults with type 2 diabetes: an alternative equation for accurate estimation and improved cardiovascular risk classification. *Diabetes & vascular disease research*, 11(6), 431–439. <https://doi.org/10.1177/1479164114547703>
64. Liu, J. J., Tavintharan, S., Yeoh, L. Y., Sum, C. F., Ng, X. W., Pek, S. L., Lee, S. B. M., Tang, W. E., Lim, S. C., & SMART2D study (2014). High normal albuminuria is independently associated with aortic stiffness in patients with Type 2 diabetes. *Diabetic medicine*, 31(10), 1199–1204. <https://doi.org/10.1111/dme.12461>
65. Liu, J. J., Wong, M. D., Toy, W. C., Tan, C. S., Liu, S., Ng, X. W., Tavintharan, S., Sum, C. F., & Lim, S. C. (2013). Lower circulating irisin is associated with type 2 diabetes mellitus. *Journal of diabetes and its complications*, 27(4), 365–369. <https://doi.org/10.1016/j.jdiacomp.2013.03.002>
66. Lim, S. C., Phua, E. J., Fun, S., Asrap, A. B., Wong, D. S. M., Tan, S.H. C., Liu, J. J., Ching, T. W., Ng, X. W., Lau, P. X. D., Pek, L. T. S., Woon, K., Lin, L. F. B., Tavintharan, S., & Sum, C. F. (2014). Risk Factors Associated with Arterial Stiffness in Diabetic Nephropathy in an Asian Population Cohort. *Journal of the ASEAN Federation of Endocrine Societies*, 26(2), 163. Retrieved from <https://asean-endocrinejournal.org/index.php/JAFES/article/view/89>